

REMARKS

Applicants received a Notice of Drawing Inconsistency with Specification dated September 29, 2008. Accordingly, Applicants have amended the Brief Description of the Drawings in the specification. Specifically, Applicants have provided three replacement paragraphs to include reference to Figures 5A-1, 5D-1 and 10-1, respectively, and have added a paragraph to include a listing of Figure 27B in the Brief Description of the Drawings. Support for the brief description of Figure 27B may be found in the original specification, for example, on page 35, lines 29-31. No new matter has been added.

Additionally, Applicants submit herewith a clean copy of the specification as requested by the Examiner.

CONCLUSION

For at least the reasons detailed above, Applicants respectfully submit that these amendments have satisfied and cured all of the inconsistencies between the drawings and the specification and as such, submit that the application is in condition for issuance.

Applicants believe that no fees are required. If fees are required, Applicant requests that those fees be charged to deposit account number 50-4383. The Examiner or the Application Assistance Unit is requested to telephone the undersigned if any matters remain outstanding so that they may be resolved expeditiously.

Date: 28 October 2008

Respectfully submitted,

/Michelle Saquet Temple/

Michelle Saquet Temple
Registration No. 48,834
Attorney for Applicants

DEKA Research & Development Corp.
340 Commercial Street
Manchester, NH 03101-1129
Tel: (603) 669-5139
Fax: (603) 624-0573